L Number	Hits	Search Text	DB	Time stamp
5	2	("6304980").pn.	USPAT;	2003/08/07 17:42
	_	(EPO; JPO;	
			DERWENT,	
l			IBM_TDB	
6	1	6081883.pn. AND (file NEAR1 name\$1)	USPAT;	2003/08/07 19:21
	· ·	,	EPO; JPO;	
			DERWENT,	
			IBM TDB	
7	1	6081883.pn. AND (backup back-up)	USPAT;	2003/08/07 19:32
'	·	Control (Control of the Control of t	EPO; JPO;	
		•	DERWENT,	
			IBM TDB	
8	2	6360306.pn. AND multiple	USPAT;	2003/08/07 19:35
•	_	- Socood Pin And Manipio	EPO; JPO;	
			DERWENT;	
		·	IBM_TDB	
9	1	6360306.pn. AND (multiple SAME performance\$1)	USPAT;	2003/08/07 19:35
] 9	•	0300000.pn. AND (maniple orivin performance)	EPO; JPO;	2000/00/07 10:00
			DERWENT;	:
			IBM_TDB	
_	30	(database\$1 NEAR1 cache\$1) AND (international AND	USPAT;	2003/08/07 15:48
-	30	business AND machine\$1) as	EPO; JPO;	2000/00/07 10.40
		business AND machine \$17.03.	DERWENT;	
			IBM_TDB	
	81	(database\$1 NEAR1 cache\$1) AND 707/\$.ccls.	USPAT:	2002/11/11 17:17
-	. "	(databaseur NEAIXT Cacheur) AND 10114.ccis.	EPO; JPO;	2002/11/11 17.17
			DERWENT;	
		*	IBM_TDB	'
	60	((database\$1 NEAR1 cache\$1) AND 707/\$.ccls.) NOT	USPAT;	2002/11/11 17:17
-	60	((database\$1 NEAR1 cache\$1) AND (international AND	EPO; JPO;	2002/11/11 17.17
·			DERWENT;	
		business AND machine\$1).as.)	IBM TDB	
	206	database\$1 NEAR1 cache\$1	USPAT;	2002/11/11 17:34
•	200	databases i NEAR i Caciles i	EPO; JPO;	2002/11/11 17.54
			DERWENT;	
			IBM_TDB	
_	20	. (joon AND hwang).xa.	USPAT;	2002/11/12 18:50
_	20	(Joon AND Ilwang).xa.	EPO; JPO;	2002/11/12 10:00
			DERWENT;	
			IBM_TDB	
	5	("5355497" "5367671" "5799318" "5907837"	USPAT	2002/11/11 17:28
[]		"5978791").PN.	3017.11	230271711177.20
_	86	(database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6	USPAT;	2002/11/11 17:35
-	55	cache\$1)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	43	((database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6	USPAT;	2002/11/11 17:54
		cache\$1)) AND network\$3 AND remote\$2	EPO; JPO;	
		Sacret 1/1/ 1115 Hottlethwo / 1115 Hottletown	DERWENT;	
			IBM_TDB	
_	22375	cache.ti,ab.	USPAT;	2002/11/11 17:54
	220,0		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
1_	971	cache.ti,ab. AND (international AND business AND	USPAT;	2002/11/11 17:57
	l	machine\$1).as.	EPO; JPO;	
			DERWENT;	
[IBM TDB	
_	77	(cache.ti,ab. AND (international AND business AND	USPAT;	2002/11/11 17:55
	l ''	machine\$1).as.) AND 707/\$.ccls.	EPO; JPO;	2002/11/11 17.00
		11401111041,40.1/114010174.0010.	DERWENT;	
]			IBM_TDB	
	L		ם טויייייייייייייייייייייייייייייייייייי	L

		·		
-	151	cache.ti,ab. AND (microsoft\$1).as.	USPAT;	2002/11/11 17:57
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	2	6356863.pn.	USPAT;	2002/11/12 16:47
		' .	EPO; JPO;	
			DERWENT;	
	050	LA LANGADO SILADA NIGAD AVIANADA	IBM_TDB	2002/11/12 17:15
-	256	virtual NEAR2 file\$1 NEAR system\$1	USPAT; EPO; JPO;	2002/11/12 17.15
			DERWENT;	
			IBM_TDB	
-	305	virtual NEAR2 file\$1 NEAR2 system\$1	USPAT;	2002/11/12 16:54
			EPO; JPO;	
			DERWENT; IBM_TDB	
_	118	(virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1	USPAT;	2002/11/12 16:54
		(Vindanies and most internal operand by mile internal group	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	80	((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	USPAT;	2002/11/12 16:54
		AND distributed!	EPO; JPO; DERWENT;	
			IBM_TDB	
-	76	(((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	USPAT;	2002/11/12 16:57
		AND distributed!) AND network\$1	EPO; JPO;	
			DERWENT;	
	19	 ((((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	IBM_TDB USPAT;	2002/11/12 17:08
-	19	AND distributed!) AND network\$1) AND (load\$3 NEAR2	EPO; JPO;	2002/11/12 17:00
		balanc\$3)	DERWENT;	
		,	IBM_TDB	
-	73	virtual NEAR2 file\$1 NEAR system\$1	US-PGPUB	2002/11/12 17:08
-	98	virtual NEAR2 file\$1 NEAR2 system\$1	US-PGPUB	2002/11/12 17:08
-	360	(virtual NEAR2 file\$1) NEAR4 system\$1	USPAT; EPO; JPO;	2002/11/12 18:26
			DERWENT;	
			IBM_TDB	
-	256	((virtual NEAR2 file\$1) NEAR4 system\$1) AND manage\$5	USPAT;	2002/11/12 17:16
			EPO; JPO;	
			DERWENT; IBM TDB	1
_	20	(((virtual NEAR2 file\$1) NEAR4 system\$1) AND manage\$5)	USPAT:	2002/11/12 18:28
		AND (load\$3 NEAR2 balanc\$3)	EPO; JPO;	
			DERWENT;	
		0004000	IBM_TDB	2002/44/40 40:00
-	3	6081883.uref.	USPAT; EPO; JPO;	2002/11/12 18:22
		•	DERWENT;	
		·	IBM_TDB	
-	13	("5163131" "5355453" "5537585" "5561809" "5802366"	USPAT	2002/11/12 18:24
		"5848293" "5864554" "5915094" "5933603" "5995708"		
_	136	"6081883" "6119150" "6275953").PN. ((virtual NEAR2 file\$1) NEAR4 system\$1).ti,ab.	USPAT:	2002/11/12 18:27
_	130	((VIII.COLI) IVENIX = SYSTEM 1). Cl. ab.	EPO; JPO;	2002/11/12 10.2/
			DERWENT;	
	}		IBM_TDB	
-	0	(((virtual NEAR2 file\$1) NEAR4 system\$1).ti,ab.) AND	USPAT;	2002/11/12 18:28
		(load\$3 NEAR2 balanc\$3)	EPO; JPO; DERWENT;	
		•	IBM_TDB	
-	6164	distribut\$4 NEAR6 ((file\$1 NEAR2 system\$1) OR	USPAT;	2002/11/12 18:51
		database\$1)	EPO; JPO;	
			DERWENT;	
L	L		IBM_TDB	

USPAT:					
S	-	419	database\$1)) AND (parallel NEAR10 ((file\$1 NEAR2	EPO; JPO;	2002/11/12 18:52
database\$1) AND (parallel NEAR10 (file\$1 NEAR2 EPO, JPO, DERWENT; IBM_TDB USPAT; EPO, JPO, JPO, DERWENT; IBM_TDB USPAT; EPO, JPO, JPO, JPO, JPO, JPO, JPO, JPO, J					
1737	-	5		USPAT;	2002/11/12 18:54
1737 (virtual NEAR3 file\$1) USPAT; EPC; JPC, DERWENT; IBM, TDB USPAT; EPC, JPC,				DERWENT;	
DERWENT; BM, TDB	-	1737	(virtual NEAR3 file\$1)	USPAT;	2002/11/12 18:54
1009 ((virtual NEAR3 file\$1)) AND manage\$5 USPAT; EPO; JPO; DERWENT; IBM TDB USPAT; EPO; JPO; JPO; DERWENT; I					
- 539 (((virtual NEAR3 file\$1)) AND manage\$5) AND (distribut\$4) - 52 ((((virtual NEAR3 file\$1)) AND manage\$5) AND (distribut\$4) - 52 ((((virtual NEAR3 file\$1)) AND manage\$5) AND (distribut\$4)) AND (load\$3 NEAR4 balanc\$3) - 14424 load\$3 NEAR2 balanc\$3 - 5252 (load\$3 NEAR2 balanc\$3) AND distribut\$4 - 5252 (load\$3 NEAR2 balanc\$3) AND distribut\$4 - 476 ((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel NEAR2 process\$3)) AND (distribut\$4) AND (parallel NEAR2 process\$3)) AND (distribut\$4)) AND (parallel NEAR2 process\$3)) AND (parallel NEAR2 process\$3) AND (parallel NEAR2 process\$3)) AND (parallel NEAR2 process\$3) AND (parallel NEAR2 process\$3) AND (parallel NE		1009	│ ((virtual NEAR3 file\$1))AND manage\$5		2002/11/12 18:55
- 539 (((virtual NEAR3 file\$1)) AND manage\$5) AND (distribut\$4) USPAT; EPO, JPO; DERWENT; IBM, TDB USPAT; EPO, JPO; DERW				EPO; JPO;	
- 52 ((((virtual NEAR3 file\$1)) AND manage\$5) AND (USPAT; IBM_TDB USPAT; IBM_TDB		500	((/, i.d., a.l. A.E.A.D.O. Silanda) \ AAID	IBM_TDB	2002/44/42 49:55
S2 ((((virtual NEAR3 file\$1)) AND manage\$5) AND USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; IBM_TDB	-	539	(((Virtual NEAR3 file\$ 1)) AND manage\$5) AND (distribut\$4)	EPO; JPO;	2002/11/12 18:55
14424 load\$3 NEAR2 balanc\$3 EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J			· .	IBM_TDB	
- 14424 load\$3 NEAR2 balanc\$3	-	52		1	2002/11/12 20:04
- 14424 load\$3 NEAR2 balanc\$3 - 5252 (load\$3 NEAR2 balanc\$3) AND distribut\$4 - 5252 (load\$3 NEAR2 balanc\$3) AND distribut\$4 - 476 ((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel NEAR2 process\$3) - 118 (((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel NEAR2 process\$3)) AND distribut\$4) AND (parallel NEAR2 process\$3)) AND (distribut\$4) NEAR4 (file\$1 OR database\$1)) - 23958 (load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti, ab 17791 (load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti, ab 17791 (load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti, ab 5 ((load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti, ab.) AND (spAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; I				DERWENT;	:
- 5252 (load\$3 NEAR2 balanc\$3) AND distribut\$4	-	14424	load\$3 NEAR2 balanc\$3	USPAT;	2002/11/12 19:37
- 476 ((load\$3 NEAR2 balanc\$3) AND distribut\$4 USPĀT; EPO; JPO; DERWENT; IBM, TDB USPAT; EPO; JPO; JPO; DERWENT; IBM, T				DERWENT;	
- 476 ((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel USPAT; EPC; JPC; DERWENT; IBM_TDB USPAT; EPC;	_	5252	(load\$3 NEAR2 balanc\$3) AND distribut\$4	USPAT;	2002/11/12 19:37
- 476 ((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel NEAR2 process\$3) - 118 (((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel NEAR2 process\$3)) AND distribut\$4) AND (parallel NEAR2 process\$3)) AND (distribut\$4 NEAR4 (file\$1 OR database\$1)) - 23958 (load\$3 NEAR4 (balanc\$3 OR distribut\$4)).ti,ab. - 17791 (load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab. - 17791 (load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab. - 5 ((load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab. - 5 ((load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab.) AND (virtual NEAR2 file\$1) - 45 (virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribut\$4)).ti,ab. - 378 (virtual NEAR2 file\$1) AND ((storage\$1 OR database\$1) NEAR10 (client\$1 OR user\$1)) - 15 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribut\$4) USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; J					
NEAR2 process\$3)	_	476	(load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel	_	2002/11/12 19:38
- 118 ((((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel NEAR2 process\$3)) AND (distribut\$4 NEAR4 (file\$1 OR database\$1)) - 23958 ((load\$3 NEAR4 (balanc\$3 OR distribut\$4)).ti,ab. USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J				EPO; JPO;	
NEAR2 process\$3)) AND (distribut\$4 NEAR4 (file\$1 OR database\$1))		110	(((lead\$2 NEAP2 halana\$2) AND distribut\$4) AND (parallal	IBM_TDB	2002/11/12 10:38
- 23958 (load\$3 NEAR4 (balanc\$3 OR distribut\$4)).ti,ab. IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; E	-	110	NEAR2 process\$3)) AND (distribut\$4 NEAR4 (file\$1 OR	EPO; JPO;	2002/11/12 19:50
- 17791 (load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab.			,,	IBM_TDB	
- 17791 (load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab. IBM_TDB USPAT;	-	23958	(load\$3 NEAR4 (balanc\$3 OR distribut\$4)).ti,ab. 	EPO; JPO;	2002/11/12 20:05
- 17791 (load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab. USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; (virtual NEAR2 file\$1) - 45 (virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribut\$4)) - 378 (virtual NEAR2 file\$1) AND ((storage\$1 OR database\$1) NEAR10 (client\$1 OR user\$1)) - 15 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribut\$4)) - 15 ((virtual NEAR2 file\$1) AND ((storage\$1 OR database\$1) DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO;		·			
- 5 ((load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab.) AND (virtual NEAR2 file\$1) - 45 (virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4)) - 378 (virtual NEAR2 file\$1) AND ((storage\$1 OR database\$1) NEAR10 (client\$1 OR user\$1)) - 15 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$3 OR distribu\$4)) - 2002/11/12 20:18 - 2002/11/12 20:18 - 2002/11/12 20:18 - 2002/11/12 20:24	-	17791	(load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab.	USPAT;	2002/11/12 20:05
-				DERWENT;	
- 45 (virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4)) - 378 (virtual NEAR2 file\$1) AND ((storage\$1 OR database\$1)	-	5		USPAT;	2002/11/12 20:08
- 45 (virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4)) - 378 (virtual NEAR2 file\$1) AND ((storage\$1 OR database\$1) USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; NEAR10 (client\$1 OR user\$1)) - 15 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR USPAT; 2002/11/12 20:24)			(VIITUALINEARZ IIIEDI)	DERWENT;	
- 378 (virtual NEAR2 file\$1) AND ((storage\$1 OR database\$1) USPAT; PPO; DERWENT; IBM_TDB - 15 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR USPAT; 2002/11/12 20:24	-	45		USPAT;	2002/11/12 20:18
- 378 (virtual NEAR2 file\$1) AND ((storage\$1 OR database\$1) USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR USPAT; 2002/11/12 20:24			distribu\$4)) 		
NEAR10 (client\$1 OR user\$1)) EPO; JPO; DERWENT; IBM_TDB ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR USPAT; 2002/11/12 20:24	-	378	(virtual NEAR2 file\$1) AND ((storage\$1 OR database\$1)		2002/11/12 20:18
- 15 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR USPAT; 2002/11/12 20:24				EPO; JPO;	
		15	((virtual NEAD2 file\$1) AND (load\$3 NEAD4 (holoas\$3 OD	IBM_TDB	2002/11/12 20:24
DEDMENT.	_			EPO; JPO;	2002/11/12/20.24
DERWENT; IBM_TDB					

-	10	((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND bypass\$3	USPAT; EPO; JPO;	2002/11/12 20:24
			DERWENT; IBM_TDB	
-	1	(((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND mover\$1) AND bypass\$3	USPAT; EPO; JPO;	2002/11/12 20:24
			DERWENT; IBM_TDB	
-	2	6324581.pn. AND mover\$1	USPAT; EPO; JPO;	2002/11/13 13:29
			DERWENT; IBM_TDB	0000444040
-	0	6324581.pn. AND multicast\$3	USPAT; EPO; JPO; DERWENT;	2002/11/13 13:28
	1	(6324581.pn. AND mover\$1) AND updat\$3	IBM_TDB USPAT;	2002/11/13 13:28
	'	(002 100 1.pm. / 110 1110 1010 1) / 1110 apadite	EPO; JPO; DERWENT;	2002/11/10 10:20
_	1	6324581.pn. AND (mover\$1 NEAR8 updat\$3)	IBM_TDB USPAT;	2002/11/13 13:31
			EPO; JPO; DERWENT;	
-	. 2	6324581.pn. AND (mover\$1 NEAR8 metadata)	IBM_TDB USPAT;	2002/11/13 13:34
			EPO; JPO; DERWENT; IBM_TDB	
-	1	6324581.pn. AND (mover\$1 NEAR10 metadata) AND (mover\$1 NEAR10 (updat\$3 OR chang\$3))	USPAT; EPO; JPO;	2002/11/13 15:20
		(mover + max were (upuates entendingee))	DERWENT; IBM_TDB	
-	44	(virtual NEAR4 file\$1) AND (multicast\$3 OR (multi ADJ1 cast\$3))	USPAT; EPO; JPO;	2002/11/13 13:56
		(/ i.a. a. N. 5 A. D. 4 St. (0.4.) A.N.D. (DERWENT; IBM_TDB	00004440 40.50
-	0	((virtual NEAR4 file\$1) AND (multicast\$3 OR (multi ADJ1 cast\$3))) AND (parralel NEAR4 process\$4)	USPAT; EPO; JPO; DERWENT;	2002/11/13 13:53
_	16	((virtual NEAR4 file\$1) AND (multicast\$3 OR (multi ADJ1	IBM_TDB USPAT;	2002/11/13 13:54
		cast\$3))) AND (parallel NEAR4 process\$4)	EPO; JPO; DERWENT;	
-	652	((multicast\$3 OR (multi ADJ1 cast\$3)) NEAR4 protocol\$1)	IBM_TDB USPAT;	2002/11/13 13:57
			EPO; JPO; DERWENT;	
-	514	((multicast\$3 OR (multi ADJ1 cast\$3)) NEAR2 protocol\$1)	IBM_TDB USPAT; EPO; JPO;	2002/11/13 13:57
			DERWENT; IBM_TDB	
-	37	(((multicast\$3 OR (multi ADJ1 cast\$3)) NEAR2 protocol\$1)) AND (parallel NEAR4 process\$4)	USPAT; EPO; JPO;	2002/11/13 13:58
		, ,	DERWENT: IBM_TDB	
-	1	6324581.pn. AND ((mover\$1 NEAR10 metadata) NEAR10 exchang\$3)	USPAT; EPO; JPO;	2002/11/13 14:08
_	1	6324581.pn. AND cach\$3	DERWENT; IBM_TDB USPAT;	2002/11/13 15:23
		COL TO THE CHAPTER	EPO; JPO; DERWENT;	2002/11/10 10:20
			IBM_TDB	

-	1	6081883.pn. AND cach\$3	USPAT; EPO; JPO;	2002/11/13 15:29
-	2	5948062.pn. AND load\$3	DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/13 15:33
-	1	6453323.pn.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/13 16:16
-	8	("5469560" "5692155" "5758190" "5768620" "5813042" "5968182" "6088815" "6304980").PN.	IBM_TDB USPAT	2002/11/13 15:56
-	0	6304980.pn. AND geographical\$2	USPAT; EPO; JPO;	2002/11/13 16:17
-	2	6442548.pn.	DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/13 16:38
-	. 2	5937406.pn.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 17:38
-	0	5937406.pn. AND cach\$3	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/13 18:00
-	1	5937406.pn. AND memor\$3	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/13 18:01
	0	6304967.pn. AND translat\$4	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 10:50
-	3	6081883.uref.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 11:17
_	1	6081883.uref. AND translat\$4	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 10:52
-	13	("5163131" "5355453" "5537585" "5561809" "5802366" "5848293" "5864554" "5915094" "5933603" "5995708"	IBM_TDB USPAT	2002/11/14 11:15
-	172	"6081883" "6119150" "6275953") PN. (front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1)	USPAT; EPO; JPO; DERWENT;	2002/11/14 11:36
-	161	((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1)) AND (distribut\$4)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 11:18
-	[.] 108	(((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1)) AND (distribut\$4)) AND remot\$2	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 11:19
-	50	(((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1)) AND (distribut\$4)) AND (remot\$2 NEAR4 (site\$1 OR server\$1 OR database\$1 OR storage\$1))	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 11:37

-	38	((((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND	USPAT;	2002/11/14 11:20
		network\$3 AND (file\$1 NEAR2 server\$1)) AND (distribut\$4))	EPO; JPO;	
		AND (remot\$2 NEAR4 (site\$1 OR server\$1 OR database\$1	DERWENT;	
İ		OR storage\$1))) AND parallel	IBM_TDB	
-	12	(((((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND	USPAT;	2002/11/14 11:36
		network\$3 AND (file\$1 NEAR2 server\$1)) AND (distribut\$4))	EPO; JPO;	
		AND (remot\$2 NEAR4 (site\$1 OR server\$1 OR database\$1	DERWENT;	
		OR storage\$1))) NOT (((((front ADJ1 end\$1) AND (back	IBM_TDB	
		ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1))		
		AND (distribut\$4)) AND (remot\$2 NEAR4 (site\$1 OR		
		server\$1 OR database\$1 OR storage\$1))) AND parallel)		
-	1105	multi ADJ1 tier\$1	USPAT;	2002/11/14 11:36
			EPO; JPO;	
			DERWENT;	
	40	() out AD 14 4' out 4\ AND (/form AD 14 on 104\ AND (Form)	IBM_TDB	0000/44/44 44:06
-	12	(multi ADJ1 tier\$1) AND ((front ADJ1 end\$1) AND (back	USPAT;	2002/11/14 11:36
		ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1))	EPO; JPO;	
·			DERWENT;	
l	20220	/romot\$3 NEAB4 (cito\$1 OB conver\$1 OB database\$1 OB	IBM_TDB	2002/11/14 11:27
-	29320	(remot\$2 NEAR4 (site\$1 OR server\$1 OR database\$1 OR	USPAT; EPO; JPO;	2002/11/14 11:37
İ		storage\$1))	DERWENT;	
			IBM TDB	
_ ·	87	((remot\$2 NEAR4 (site\$1 OR server\$1 OR database\$1 OR	USPAT;	2002/11/14 11:38
-	"	storage\$1))) AND (multi ADJ1 tier\$1)	EPO; JPO;	2002/11/14 11:50
	•	Storage(1))) AND (maid ADOT dol(1)	DERWENT;	
			IBM_TDB	
_	1	5692155.pn. AND kilometer\$1	USPAT;	2002/11/14 12:25
		0002100.pm. / 44D / /// // // // // // // // // // // //	EPO; JPO;	2002, 11, 11, 12,20
			DERWENT;	
			IBM_TDB	
-	0	5692155.pn. AND search\$3	USPAT;	2002/11/14 12:25
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	5692155.pn. AND mapping	USPAT;	2002/11/14 12:26
			EPO; JPO;	·
			DERWENT;	
			IBM_TDB	
-	22	5692155.uref.	USPAT;	2002/11/14 17:47
			EPO; JPO;	
		,	DERWENT;	
	47	ESCONES unof AND address \$2	IBM_TDB	2002/44/44 47:50
-	17	5692155.uref. AND address\$2	USPAT;	2002/11/14 17:52
İ			EPO; JPO; DERWENT;	
			IBM_TDB	
	· 48	(secondary NEAR2 device\$1) AND (ip NEAR2 address\$2)	USPAT;	2002/11/14 17:53
	, , ,	(000011441) 1412 4071000 1/ AIND (10 1412/11/2 44410000/2)	EPO; JPO;	2502,11714 17.00
		·	DERWENT:	
			IBM TDB	
_	14	((secondary NEAR2 device\$1) AND (ip NEAR2 address\$2))	USPAT;	2002/11/14 18:03
		AND backup	EPO; JPO;	
İ		· ·	DERWENT;	
			IBM_TDB	
-	3	(((secondary NEAR2 device\$1) AND (ip NEAR2 address\$2))	USPAT;	2002/11/14 18:23
-		AND backup) AND (differen\$3 NEAR10 (ip NEAR2	EPO; JPO;	
		address\$2))	DERWENT;	
			IBM_TDB	
-	0	((((secondary NEAR2 device\$1) AND (ip NEAR2 address\$2))	USPAT;	2002/11/14 18:21
		AND backup) AND (differen\$3 NEAR10 (ip NEAR2	EPO; JPO;	
·		address\$2))) AND search\$3	DERWENT;	
			IBM_TDB	

-	12223	search\$3 NEAR10 (backup OR second\$3)	USPAT; EPO; JPO;	2002/11/14 18:23
		•	DERWENT;	,
			IBM TDB	
-	1748	(search\$3 NEAR4 (file\$1 OR data)) NEAR10 (backup OR	USPAT;	2002/11/14 18:24
		second\$3)	EPO; JPO;	
	•		DERWENT;	
			IBM_TDB	
-	149	(search\$3 NEAR4 (file\$1 OR data)) NEAR10 (backup OR	USPAT;	2002/11/14 19:26
		(second\$3 NEAR2 (storage\$1 OR device\$1)))	EPO; JPO;	
			DERWENT;	
1_	3	((search\$3 NEAR4 (file\$1 OR data)) NEAR10 (backup OR	IBM_TDB USPAT;	2002/11/14 18:26
-		(second\$3 NEAR2 (storage\$1 OR device\$1)))) AND ip	EPO; JPO;	2002/17/11/0:20
		(Second to 112) and (Second got 1 or 1 do 1100 t 1///// 1 to 1 p	DERWENT;	
			IBM_TDB	
-	6	((search\$3 NEAR4 (file\$1 OR data)) NEAR10 (archiv\$3 OR	USPAT;	2002/11/14 18:29
		(second\$3 NEAR2 (storage\$1 OR device\$1)))) AND ip	EPO; JPO;	
		•	DERWENT;	
1	404	/	IBM_TDB	2002/44/44 49:20
-	191	(search\$3 NEAR4 (file\$1 OR data)) NEAR10 (archiv\$3 OR (second\$3 NEAR2 (storage\$1 OR device\$1)))	USPAT; EPO; JPO;	2002/11/14 18:39
		(Seconda NEMIZ (Storaged FOR deviced 1)))	DERWENT;	
	1		IBM TDB	
-	76	707/204.ccls. AND (search\$3 NEAR4 file\$1)	USPAT;	2002/11/14 18:47
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	(707/204.ccls. AND (search\$3 NEAR4 file\$1)) AND failover	USPAT;	2002/11/14 18:40
			EPO; JPO;	
	1		DERWENT; IBM_TDB	
_	5804	(broadcast\$3 OR multicast\$3) NEAR8 (search\$3 OR	USPAT;	2002/11/14 19:16
	0007	request\$3)	EPO; JPO;	2002/11/14 10:10
			DERWENT;	
			IBM_TDB	
-	49	(broadcast\$3 OR multicast\$3) NEAR8 (search\$3 NEAR4	USPAT;	2002/11/14 19:16
,		request\$3)	EPO; JPO;	
		·	DERWENT;	
	83	4914571.uref.	IBM_TDB USPAT;	2002/11/14 19:10
-	63	4314371.ulei. 	EPO; JPO;	2002/11/14 19.10
			DERWENT;	
]		·	IBM_TDB	
-	7	4914571.uref. AND (search\$3 NEAR2 file\$1)	USPAT;	2002/11/14 19:10
			EPO; JPO; .	
		,	DERWENT;	
		5720736 urof	IBM_TDB	2002/44/44 40:45
-	2	5729736.uref.	USPAT; EPO; JPO;	2002/11/14 19:15
		•	DERWENT;	
			IBM_TDB	
-	6055	(broadcast\$3 OR multicast\$3) NEAR8 (search\$3 OR	USPAT;	2002/11/14 19:16
		request\$3 OR quer\$3)	EPO; JPO;	
			DERWENT;	
		(multi-code) NEADO (1 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	IBM_TDB	0000/44/44 15 5:
-	668	(multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$3)	USPAT;	2002/11/14 19:21
			EPO; JPO; DERWENT;	
			IBM_TDB	
1 -	29	((multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$3))	USPAT;	2002/11/14 19:17
		AND 707/\$.ccls.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
				

-	238	((multicast\$3) NEAR8 (search\$3 OR request\$3 OR	USPAT;	2002/11/14 20:14
		quer\$3)).ti,ab.	EPO; JPO;	
]	·	DERWENT;	
	5	(((multicast\$3) NEAR8 (search\$3 OR request\$3 OR	IBM_TDB USPAT;	2002/11/14 19:22
-	3	quer\$3)).ti,ab.) AND ((search\$3 OR quer\$4 OR request\$3)	EPO; JPO;	2002/11/14 19.22
		NEAR4 file\$1).ti,ab.	DERWENT;	
		NEAR4 IIIE\$1).u,ab.	IBM_TDB	
	51	(((multicast\$3) NEAR8 (search\$3 OR request\$3 OR	USPAT;	2002/11/14 19:27
-		quer\$3)).ti,ab.) AND distributed	EPO; JPO;	2002/1//1/10:2/
		queropoji, ab., j / 1110 distributed	DERWENT:	
			IBM TDB	
_	7	(((multicast\$3) NEAR8 (search\$3 OR request\$3 OR	USPAT;	2002/11/14 19:27
		quer\$3)).ti,ab.) AND ((search\$3 OR quer\$4 OR request\$3)	EPO; JPO;	
		NEAR4 (database\$1 OR storage\$1))	DERWENT;	•
			IBM_TDB	
_	5	("5390313" "5463578" "5819310" "5832522"	USPAT	2002/11/14 19:29
		"5892914").PN.		
-	95		USPAT;	2002/11/14 19:42
	- [AND ((search\$3 OR quer\$4 OR request\$3) NEAR4	EPO; JPO;	
		(database\$1 OR storage\$1))	DERWENT;	
			IBM_TDB	
-	155	((search\$3 OR quer\$4 OR request\$3) NEAR6 (fail\$2))	USPAT;	2002/11/14 19:46
		NEAR20 ((search\$3 OR quer\$4 OR request\$3) NEAR4	EPO; JPO;	
		(database\$1 OR storage\$1))	DERWENT;	
			IBM_TDB	0000444444047
-	6	(((search\$3 OR quer\$4 OR request\$3) NEAR6 (fail\$2))	USPAT;	2002/11/14 19:47
		NEAR20 ((search\$3 OR quer\$4 OR request\$3) NEAR4	EPO; JPO;	
	· '	(database\$1 OR storage\$1))) AND (failover OR (fail ADJ1	DERWENT;	
	00	over))	IBM_TDB	2002/11/14 20:01
-	83	4914571.uref.	USPAT; EPO; JPO;	2002/11/14 20.01
		·	DERWENT;	
			IBM_TDB	
_	0	5729736.pn. AND multicast\$3	USPAT;	2002/11/14 20:14
_			EPO; JPO;	2002,1,,1120.11
			DERWENT	
			IBM TDB	
_	0	5729736.uref. AND multicast\$3	USPAT;	2002/11/14 20:14
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	29	((multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$3))	USPAT;	2002/11/14 20:16
		NEAR10 (database\$1 OR storage\$1)	EPO; JPO;	
			DERWENT;	
		// # 100 00 / # 100 100 / 100 100 / 100 100 / 100 100 / 100 100	IBM_TDB	00004444
-	30	1 11	USPAT;	2002/11/14 20:18
		request\$3 OR quer\$3)) NEAR10 (database\$1 OR storage\$1)	EPO; JPO;	
			DERWENT;	
		//multipoet\$3 OR /multi AD I1 acet\$3\\ NEAR9 /acersh\$3 OR	IBM_TDB USPAT;	2002/11/14 20:21
-	22	((multicast\$3 OR (multi ADJ1 cast\$3)) NEAR8 (search\$3 OR request\$3 OR quer\$3)) NEAR20 ((multicast\$3 OR (multi		2002/11/14/20.21
		ADJ1 cast\$3)) NEAR10 (database\$1 OR storage\$1))	EPO; JPO; DERWENT;	
		ADD Castas NEAR D (databases OR Stolages)	IBM_TDB	
_	23	(search\$3 OR quer\$4 OR request\$3) NEAR10 file\$1	USPAT;	2002/11/14 20:25
l	23	NEAR10 (multicast\$3 OR (multi ADJ1 cast\$3))	EPO; JPO;	2002/11/14 20.20
	1	The act of the design of the act	DERWENT;	1
			מטו ואומו ו	
_	28	(search\$3 OR guer\$4 OR request\$3) NEAR10 (database\$1	IBM_TDB USPAT:	2002/11/14 21:37
-	28	(search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1 OR storage\$1) NEAR10 (multicast\$3 OR (multi ADJ1	USPAT;	2002/11/14 21:37
-	28	(search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1 OR storage\$1) NEAR10 (multicast\$3 OR (multi ADJ1 cast\$3))		2002/11/14 21:37

				1
-	6	(((search\$3 OR quer\$4 OR request\$3) AND (database\$1 OR storage\$1) AND (multicast\$3 OR (multi ADJ1 cast\$3))).ti,ab.)	USPAT; EPO; JPO;	2002/11/14 20:29
-	67	AND file\$1.ti,ab. ((search\$3 OR quer\$4 OR request\$3) AND (database\$1 OR	DERWENT; IBM_TDB USPAT;	2002/11/14 20:30
	•	storage\$1) AND (multicast\$3 OR (multi ADJ1 cast\$3))).ti,ab.	EPO; JPO; DERWENT;	*
-	10	(ip NEAR2 address\$2) NEAR10 different NEAR10 subnet	IBM_TDB USPAT; EPO; JPO;	2002/11/14 21:05
	1	5870537.pn. AND location\$1	DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 21:19
-	2	5870537.pn. AND address\$2	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 21:33
	0	("6256673" "5506984" "5870537" "5692155") pn. AND (point NEAR8 protocol)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/15 14:07
-	5	(search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1 OR storage\$1) NEAR10 (point NEAR4 protocol)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 21:38
-	3	(search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1 OR storage\$1) NEAR10 (point-to-point NEAR4 protocol)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 21:38
-	7	5857181.uref.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/16 15:30
-	2329	(manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1)))	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/16 15:32
-	471	((manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1)))) AND broadcast\$3	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/16 15:32
-	133	(manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1))) ab,ti. AND broadcast\$3	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/16 16:08
-	5	((manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1))) ab,ti. AND broadcast\$3) AND (manipulat\$4 NEAR4 (information OR data))	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/16 15:36
-	76	(receiver\$1 OR (receiv\$3 NEAR2 device\$1)).ab,ti. AND broadcast\$3 AND (manipulat\$4 NEAR10 (instruction\$1 OR command\$1))	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/16 16:11
-	18	(receiver\$1 OR (receiv\$3 NEAR2 device\$1)).ab,ti. AND broadcast\$3 AND ((manipulat\$4 NEAR10 (instruction\$1 OR command\$1)) NEAR20 (receive\$1 OR receiving))	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/16 16:15
-	23	(receiver\$1 OR (receiv\$3 NEAR2 device\$1)).ab,ti. AND broadcast\$3 AND ((manipulat\$4 NEAR10 (instruction\$1 OR command\$1)) NEAR20 (transmit\$6))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/16 16:17

_	147793	(broadcast\$3 OR transmit\$4 OR receiv\$3) NEAR8 (instruction\$1 OR command\$1)	USPAT; EPO; JPO;	2002/11/16 16:18
		,	DERWENT;	
_	54600	(broadcast\$3 OR transmit\$4 OR receiv\$3) NEAR8	IBM_TDB USPAT;	2002/11/16 16:19
	0.000	(instruction\$1 OR command\$1) NEAR8 (information OR	EPO; JPO;	
		data)	DERWENT;	
	76598	(broadcast\$3 OR transmit\$4 OR receiv\$3) WITH	IBM_TDB USPAT;	2002/11/16 16:19
-	70390	(instruction\$1 OR command\$1) WITH (information OR data)	EPO; JPO;	2002/11/10 10:19
		,	DERWENT;	
	0040	(L J 402) \A(IT) (i 4m) \A(i - m) 0.00	IBM_TDB	2002/44/46 46:20
•	2048	(broadcast\$3) WITH (instruction\$1 OR command\$1) WITH (information OR data)	USPAT; EPO; JPO;	2002/11/16 16:20
		(momation of value)	DERWENT:	
			IBM_TDB	
-	197	(broadcast\$3) NEAR2 ((instruction\$1 OR command\$1) WITH (information OR data))	USPAT; EPO; JPO;	2002/11/16 16:20
			DERWENT:	
			IBM_TDB	
-	212	(broadcast\$3) NEAR2 ((instruction\$1 OR command\$1)	USPAT;	2002/11/16 16:21
		NEAR2 (information OR data))	EPO; JPO; DERWENT;	
			IBM_TDB	
-	149	(broadcast\$3) NEAR1 ((instruction\$1 OR command\$1)	USPAT;	2002/11/16 16:24
		NEAR2 (information OR data))	EPO; JPO; DERWENT;	
			IBM TDB	
-	9	(broadcast\$3) WITH ((instruction\$1 OR command\$1) WITH	USPAT;	2002/11/16 16:24
		(information OR data)) WITH manipulat\$4	EPO; JPO;	
			DERWENT; IBM_TDB	
_	6	("5857181" "5263156" "5530939").pn.	USPAT;	2002/11/18 05:27
		, ,	EPO; JPO;	
			DERWENT;	
_	7428	(distributed NEAR4 (database\$1 storage\$1))	USPAT;	2003/08/01 14:37
			EPO; JPO;	
			DERWENT; IBM_TDB	
_	0	((distributed NEAR4 (database\$1 storage\$1))) AND dosm	USPAT;	2003/08/01 14:37
			EPO; JPO;	
			DERWENT;	
_	374	((distributed NEAR4 (database\$1 storage\$1))) AND (directory	IBM_TDB USPAT;	2003/08/01 14:37
		NEAR2 (server\$1 database\$1))	EPO; JPO;	
		•	DERWENT;	
_	154	(((distributed NEAR4 (database\$1 storage\$1))) AND	IBM_TDB USPAT;	2003/08/01 15:15
	""	(directory NEAR2 (server\$1 database\$1))) AND 707/\$.ccls.	EPO; JPO;	
			DERWENT;	
	87	((((distributed NEAR4 (database\$1 storage\$1))) AND	IBM_TDB USPAT;	2003/08/01 15:15
	",	(((discribited NEAR4 (databases) storages ())) AND 707/\$.ccls.)	EPO; JPO;	2000,00,01 10.10
		AND (replica backup duplicate)	DERWENT;	
_	2	("6442548" "6081883" "6327614").pn. AND scalab\$8	IBM_TDB USPAT;	2003/08/04 17:17
		1 (5 1.25 15 555 1555 552 15 14).pii. AND Scalabyo	EPO; JPO;	2000/00/04 17.17
			DERWENT;	
	2	("5692155" "5870537").pn. AND busy	IBM_TDB USPAT;	2003/08/06 17:30
_		(0002100 0070007 J.ph. AND busy	EPO; JPO;	2003/00/00 17.30
			DERWENT;	
<u> </u>			IBM_TDB	

-		0	(tri ADJ1 (replica backup duplicat\$3))	USPAT;	2003/08/06 17:31
				EPO; JPO;	
-				DERWENT;	
				IBM_TDB	
-		266	(three ADJ1 (replica backup duplicat\$3))	USPAT;	2003/08/06 17:31
				EPO; JPO;	
				DERWENT;	
			·	IBM_TDB	
-		1	707/204.ccls. AND tri	USPAT;	2003/08/06 17:33
			_	EPO; JPO;	
				DERWENT;	
				IBM_TDB	
-		3	707/204.ccls. AND (search\$3 NEAR2 (replica duplicat\$3))	USPAT;	2003/08/06 17:32
1		i		EPO; JPO;	
				DERWENT;	
			·	IBM_TDB	
-		568	707/204.ccls.	USPAT;	2003/08/06 17:33
				EPO; JPO;	
			·	DERWENT:	
				IBM_TDB	
-		6	707/204.ccls. AND mosher.in.	USPAT;	2003/08/06 18:04
				EPO; JPO;	
				DERWENT;	
				IBM_TDB	
-		8	707/204.ccls. AND distributor\$1	USPAT;	2003/08/06 18:06
				EPO; JPO;	
	•			DERWENT;	
				IBM_TDB	0000/00/00 40/07
-		223	707/204.ccls. AND (recovery)	USPAT;	2003/08/06 18:07
				EPO; JPO;	
				DERWENT;	
		_	6360306 nm AND rodundon\$3	IBM_TDB	2002/09/07 45:40
-		0	6360306 pn. AND redunden\$2	USPAT;	2003/08/07 15:49
				EPO; JPO;	
				DERWENT;	
		Í	6360306.pn. AND redund\$5	IBM_TDB USPAT;	2003/08/07 15:52
-	•	1	0300300.pm. AIND reduita#3	EPO; JPO;	2003/00/07 13.52
				DERWENT;	
				IBM TDB	
		1	6553389.pn. AND redund\$5	USPAT;	2003/08/07 15:51
1		'	0000000.pm, AND reduitage	EPO; JPO;	2000/00/01 10:01
				DERWENT;	
				IBM TDB	
l _	•	2	6360306.pn. AND multiple	USPAT;	2003/08/07 15:52
1		_	Coccos,pil. Alto Hidiapio	EPO; JPO;	2300,00,01 10.02
				DERWENT;	
				IBM_TDB	